FIG. 1





FIG. 2



## FIG. 3

DTD FOR DESCRIBING CONTEXT DESCRIPTION DATA THROUGH USE OF XML

<?xml version="1.0"?>

```
<!ELEMENT contents
                       (section+)>
<!ATTLIST
           contents
                      contents-id CDATA
                                             #REQUIRED
                      title
                                  CDATA
                                             #REQUIRED
                      runtime
                                  NMTOKEN
                                             #REQUIRED>
<!ELEMENT section
                      (section+|segment+)>
<!ATTLIST
           section
                      caption
                                  CDATA
                                             #IMPLIED
                      priority
                                  NMTOKEN
                                             #REQUIRED>
<!ELEMENT segment
                      EMPTY>
<!ATTLIST
                                  CDATA
           segment
                      start
                                             #REQUIRED
                      end
                                  CDATA
                                             #REQUIRED
                      priority
                                  NMTOKEN
                                             #REQUIRED>
```

ONE EXAMPLE OF XML DOCUMENT RELATING TO CONTEXT DE SCRIPTION DATA PREPARED BY DTD

```
<?xml version="1.0" encoding="euc-jp"?>
<!DOCTYPE contents SYSTEM "http://mserv.trl.mei.co.jp/SMML/progra
m01.dtd">
```

<contents contents-id="urn:upi:mei:12345" title="GRAND SUMO TOUR
NAMENT" runtime="11:42">

<section caption="SUMO WRESTLER 0 VS. SUMO WRESTLER 1"
priority="5">

```
<section priority="1">
```

</section>

<section priority="2">

<segment start="smpte=00:00:09:09" end="smpte=00:00:14:13"

## FIG. 4

```
priority="2"/>
     </section>
     <section priority="3">
       <segment start="smpte=00:00:14:14" end="smpte=00:00:19:19" p</pre>
 riority="3"/>
     </section>
     <section priority="1">
       <segment start="smpte=00:00:19:20" end="smpte=00:00:22:19" p
riority="1"/>
     </section>
     <section priority="3">
       <segment start="smpte=00:00:22:20" end="smpte=00:00:28:10" p
riority="3"/>
       <segment start="smpte=00:00:28:11" end="smpte=00:00:30:28" p
riority="3"/>
       <segment start="smpte=00:00:30:29" end="smpte=00:00:43:11" p</pre>
riority="3"/>
     </section>
    <section priority="2">
       <segment start="smpte=00:00:43:12" end="smpte=00:00:46:20" p</pre>
riority="2"/>
    </section>
    <section priority="3">
      <segment start="smpte=00:00:46:21" end="smpte=00:00:57:09" p
riority="3"/>
    </section>
    <section priority="2">
      <segment start="smpte=00:00:57:10" end="smpte=00:01:00:28" p</pre>
riority="2"/>
    </section>
    <section priority="4">
      <segment start="smpte=00:01:00:29" end="smpte=00:01:14:14" p</pre>
riority="4"/>
    </section>
    <section priority="2">
      <segment start="smpte=00:01:14:15" end="smpte=00:01:24:20"
```